	Type	Hits	Search Text	DBs
24	BRS	18	(select$4 with translat$4 with module) and usb	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	4	(select$4 with translat$4 with module) and bluetooth	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	0	queue adj occupany	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	6165	(queue buffer) adj (occupancy size)	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	40	((queue buffer) adj (occupancy size)) with discard$4 with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	177	((queue buffer) adj (occupancy size)) with range	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	6	(((queue buffer) adj (occupancy size)) with range) with discard$4	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	10	(queue buffer) with (occupancy size) with range with discard$4	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	122	threshold with (buffer queue) with (size occupancy) with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	160	threshold with (buffer queue) with (size occupancy capacity) with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	54	(threshold with (buffer queue) with (size occupancy capacity) with packet) same discard$4	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	33	(threshold with (buffer queue) with (size occupancy capacity) with packet) with (monitor$4 determin$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB